

**NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM**

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4200-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4201-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4202-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4203-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4205-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4207-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4241-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4244-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4249-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4250-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4251-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4306-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4312-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4315-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4316-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4346-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4347-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4353-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4436-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4464-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4466-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4467-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4470-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4471-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4475-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4476-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4477-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4480-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4481-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4483-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4485-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4487A-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			50.00	Perorm all work after core hours.
4491-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4492-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4493-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4494-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4523-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4530-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4541-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4542-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4549-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4551-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4553-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4554-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4555-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			40.00	Clean, test, and calibrate smoke detectors if applicable
4561-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4563-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4564-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4566-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4567-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4570-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4572-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4582-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4583-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4585-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4600-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4604-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4605-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4607-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4610-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System (Night Shift)	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
			50.00	Perorm all work after core hours.
4612-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4614-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4618-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4619-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4621-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4623-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4627-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4628-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4629-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4638-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4640-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4643-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4646-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4648-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4649-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4650-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4653-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4654-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4655-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4656-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4659-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4663B-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4666-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4667-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4670-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4671-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4674-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4675-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4676-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4696-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4702-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4704-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4705-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4707-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4708-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4711-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4715-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4718-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4723-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4727-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4728-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4731-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4732-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
4739-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4747-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4754-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4755-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4759-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4760-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4761-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel

NNM08AA54C
ATTACHMENT J-13
FIRE ALARM SYSTEM PM

LOCATION	DESCRIPTION	PM DESCRIPTION	JPTASK	OPERATION DESCRIPTION
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4765-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4775-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4776-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
4777-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable
8023-FAS0001	Fire Alarm System	30-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
		180-Day: Fire Alarm System	10.00	Inspect panel
			20.00	Inspect smoke detectors for damage and obstructions
			30.00	Verify operation of all pull stations and bells
			40.00	Clean, test, and calibrate smoke detectors if applicable